

Quote Form for Custom Treads, Risers & Starter Steps

Dear Artistic Finishes Customer,

Please fill out the appropriate following page(s) according to which type of custom tread and/or riser you are requesting a quote for. This is for **QUOTING** purposes only. Please specify the flooring you are blending to below. **This is REQUIRED information.**

Please **email** this cover page along with the completely filled out form(s) to CustomerService@artisticfinishes.com. You will receive a reply when we receive the email. It typically takes 1-3 business days to reply with a price quote.

Company Name: _____

Contact Name: _____

Contact Email: _____

Manufacturer: _____

Line/Series: _____

Wood Species: _____

Color Name: _____

Floor Thickness: _____

Special Requests: _____

Internal Use Only	
Artistic Finishes' Customer Service to fill out the information below.	
Custom Quote #:	Date Quoted (good for 90 days):
Floor ID #:	Color #:
Actual Species:	Finish:
Standard Grade / Character Grade	

Standard [Boxed] Stair Treads


(Excludes Bamboo, Acacia, Kempas, Strand Eucalyptus)

Standard treads provide a perfect solution for boxed staircases that are contained by walls on both sides.

Custom Quote for Standard Stair Tread Measuring and Dimension Guide*

*This is not a purchase order form or actual order; for quoting purposes only

Regular tread sizes ready to order are 36", 42" or 48" long, 11 1/2" wide and 3/4" thick with a 1-1/16" bullnose. They are NOT custom.



(a) Tread Thickness (standard is 3/4")	(a)
(b) Bull Nose Thickness (standard is 1-1/16")	(b)
(c) Bull Nose Depth (1-1/4" or Full Thickness 1-1/16" CHOOSE ONE)	(c) OR
(d) Tread Length (36", 42", 48" are normal sizes – order online)	(d)
(e) Tread Width (standard is 11-1/2")	(e)
Bullnose style (circle one)	<input type="checkbox"/> Squared <input type="checkbox"/> Rounded
If SQUARED, which size?	<input type="checkbox"/> 2mm (slight bevel) OR <input type="checkbox"/> 8mm (standard)
Quantity Needed:	

Universal Stair Treads


(Excludes Bamboo, Acacia, Kempas, Strand Eucalyptus)

Universal treads are suitable for open stair cases where the returns provide a finished affect.

Custom Quote for Universal Stair Tread Measuring and Dimension Guide*

*This is not a purchase order form or actual order; for quoting purposes only

Regular tread sizes ready to order are 36", 42" or 48" long, 11 1/2" wide and 3/4" thick with a 1-1/16" bullnose. They are NOT custom.



(a) Tread Thickness
(standard is 3/4")

(a)

(b) Bull Nose Thickness
(standard is 1-1/16")

(b)

(c) Bull Nose Depth (standard is 1-1/4")

(c)

(d) Internal Tread Length
(36", 42", 48" are normal sizes – order online)

(d)

(e) Return Length (standard is 13")

(e)

(f) Tread Width
(standard is 11-1/2")

(f)

(g) Return Extension
(standard is 1-1/2")

(g)

(h) Return Width
(standard is 1-1/4")

(h)

(i) External Length - internal length plus width(s)

(i)

Bullnose style (circle one)

Squared

Rounded



If SQUARED, which size?

2mm (slight bevel) OR 8mm (standard)

Return: Circle One (when looking up staircase)

LEFT

RIGHT

BOTH Sides

Quantity Needed:

Risers



(Excludes Bamboo, Acacia, Kempas, Strand Eucalyptus)

Risers form the vertical face of each step and provide a seamless, coordinated transition between stair treads.

Custom Quote for Riser Measuring and Dimension Guide*

**This is not a purchase order form or actual order; for quoting purposes only*

Regular sizes ready to order are 36", 42" or 48" long, 7 1/2" wide and 1/4" or 3/4" thick. They are NOT custom.



(a) Riser Length (36", 42" 48" are normal sizes – order online)	(a)
(b) Riser Thickness (standard options are 1/4" or 3/4")	(b)
(c) Riser Width/Height (standard is 7 1/2")	(c)
Quantity Needed:	


Starter Step Kit – Double Ended

(Excludes Bamboo, Acacia, Kempas, Strand Eucalyptus)

The starter step kit includes a tread rounded on both ends/sides, riser foundation, rounded cove and base shoe.

Custom Quote for DOUBLE Ended Starter Step Kit Dimension Guide*

*This is not a purchase order form or actual order; for quoting purposes only



(a) Internal Tread Length	(a)	
(b) Inset Depth (standard is 1 3/4")	(b)	
(c) Total Tread Depth (totals b + e)	(c)	
(d) Rounded End Length	(d)	
(e) Tread Depth (front to cutout)	(e)	
(f) Total Tread Length (a + d x 2 for both ends)	(f)	
(g) Bull Nose Overhang (standard is 1 1/4")	(g)	
(h) Riser Foundation Height (standard is 7 1/2")	(h)	
Full Starter Step Kit or Tread Top Only? (Circle One)	<input type="checkbox"/> Full Kit <input type="checkbox"/> Tread Top Only	<input type="checkbox"/> Full Kit <input type="checkbox"/> Tread Top Only
Quantity Needed:		


Starter Step Kit – Single Ended



(Excludes Bamboo, Acacia, Kempas, Strand Eucalyptus)

The starter step kit includes a tread rounded on one end, riser foundation, rounded cove and base shoe.

Custom Quote for SINGLE Ended Starter Step Kit Dimension Guide*

*This is not a purchase order form or actual order; for quoting purposes only



(a) Internal Tread Length	(a)
(b) Inset Depth (standard is 1 3/4")	(b)
(c) Total Tread Depth (totals b + e)	(c)
(d) Rounded End Length	(d)
(e) Tread Depth (front to cutout)	(e)
(f) Total Tread Length (a + d)	(f)
(g) Bull Nose Overhang (standard is 1 1/4")	(g)
(h) Riser Foundation Height (standard is 7 1/2")	(h)
Rounded End Side (viewing from bottom of staircase)	LEFT OR RIGHT
Full Starter Step Kit or Tread Top Only? (Circle One)	<div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;"> <p>Full Kit</p>  </div> <div style="text-align: center;"> <p>OR</p> </div> <div style="text-align: center;"> <p>Tread Top Only</p>  </div> </div>
Quantity Needed:	


Pie Shaped Stair Treads

(Excludes Bamboo, Acacia, Kempas, Strand Eucalyptus)

Suitable for spiral staircase applications. All edges are straight, no radius cuts. Angles from the tread bullnose edge are 90°.

Custom Quote for SINGLE Ended Starter Step Kit Dimension Guide*

*This is not a purchase order form or actual order; for quoting purposes only



(a) Length on back edge of tread	(a)
(b) Length on front/bullnose edge of tread	(b)
(c) Inside Width/Depth	(c)
(d) Outside Width/Depth	(d)
Choose Type (based on image above)	LEFT HAND OR RIGHT HAND
Choose Thickness Style (Circle One)	Full Thickness OR ¾" with 1-1/16" nose
Quantity Needed:	